

057 719-40-71
097 719-40-71
093 719-40-71
050 301-07-81


ESIT

LOAD CELLS & INDICATORS

Прайс лист 2021

ПК "ПРИЗМА"

Все цены в ЕВРО с НДС



ТЕНЗОДАТЧИКИ



ESIT BB Stainless Steel Bending Beam Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060100500-0003	BB-20	20 kg	185
152-060100900-0003	BB-50	50 kg	185
152-060101200-0003	BB-100	100 kg	185
152-060101600-0003	BB-200	200 kg	185

Stainless Steel, IP68 protection. 30 euros is added for C5 class. 40 euros is added for Ex-Proof difference.



ESIT BS Stainless Steel Shear Beam Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060201600-0003	* BS-200	200 kg	180
152-060202100-0003	BS-500	500 kg	180
152-060202700-0003	BS-1000	1.000 kg	180
152-060202800-0003	BS-2000	2.000 kg	180

Stainless Steel, IP68 protection. * OIML is not included.



ESIT SBS Stainless Steel Shear Beam Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060301600-0003	* SBS-200	200 kg	185
152-060302100-0003	SBS-500	500 kg	185
152-060302700-0003	SBS-1000	1.000 kg	185
152-060302800-0003	SBS-2000	2.000 kg	185

Stainless Steel, IP68 protection. 40 euros is added for Ex-Proof difference. * OIML is not included.



ESIT SSB Stainless Steel Shear Beam Heavy Duty Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060402700-0003	* SSB-1000	1.000 kg	250
152-060402800-0003	SSB-2000	2.000 kg	250
152-060403000-0003	SSB-5000	5.000 kg	350
152-060403300-0003	SSB-10000	10.000 kg	490

Stainless Steel, IP68 protection. 40 euros is added for Ex-Proof difference. * OIML is not included.



ESIT STCS Stainless Steel Tension Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060700900-0003	STCS-50	50 kg	195
152-060701200-0003	STCS-100	100 kg	195
152-060701600-0003	STCS-200	200 kg	195
152-060701800-0003	STCS-300	300 kg	195

Stainless Steel, IP66 protection.



ESIT TB Stainless Steel Tension Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-061902100-0003	TB-500	500 kg	240
152-061902700-0003	TB-1000	1.000 kg	240
152-061902800-0003	TB-2000	2.000 kg	240
152-061904800-0003	TB-3000	3.000 kg	255
152-061903000-0003	TB-5000	5.000 kg	280

Stainless Steel, IP68 protection.



ESIT SSP Stainless Steel Single Point Load Cell

SALES MATERIAL NO	TYPE	CAPACITY	PRICE C3
152-060800500-0003	SSP-20	20 kg	270
152-060800800-0003	SSP-40	40 kg	270
152-060801100-0003	SSP-80	80 kg	270
152-060801400-0003	* SSP-120	120 kg	270

Stainless Steel, IP66 protection. 30 euros is added for C4 class. 40 euros is added for Ex-Proof difference. * OIML is not included.



ESIT MSP Stainless Steel Single Point Load Cell

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-064504700-0001	MSP-8	8 kg	150
152-064500400-0001	MSP-15	15 kg	150
152-064500500-0001	MSP-20	20 kg	150
152-064500600-0001	MSP-30	30 kg	150
152-064500800-0001	MSP-40	40 kg	150
152-064501000-0001	* MSP-60	60 kg	150
152-064501100-0001	* MSP-80	80 kg	150
152-064501200-0001	* MSP-100	100 kg	150


Stainless Steel, IP67 protection. * OIML is not included.



ESIT SP Single Point Load Cell

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-060901200-0003	SP-100	100 kg (Not OIML)	240
152-060901600-0003	SP-200	200 kg	240
152-060902100-0003	SP-500	500 kg	240
152-060902700-0003	SP-1000	1000 kg	240

Steel, IP65 protection. 30 euros is added for C4 class. 40 euros is added for Ex-Proof difference. * OIML is not included.



SPA
3-50kg



SPA
100-350kg




SPA
600kg



ESIT SPA Aluminum Single Point Load Cell

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-064300100-0005	SPA-3	3 kg	50
152-064300200-0005	SPA-6	6 kg	50
152-064300300-0005	SPA-10	10 kg	50
152-064300500-0005	SPA-20	20 kg	50
152-064300600-0005	SPA-30	30 kg	55
152-064300900-0005	SPA-50	50 kg	55
152-064301200-0005	SPA-100	100 kg	55
152-064301600-0005	SPA-200	200 kg	55
152-064301800-0005	SPA-350	350 kg	80
152-064302200-0005	SPA-600	600 kg	80

Aluminum, IP65 protection.



ESIT CAD Compression Digital Load Cell

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C6
152-062503300-0001	CAD-10	10.000 kg	600
152-062503500-0001	CAD-20	20.000 kg	600
152-602503700-0003	CAD-25	25.000 kg	600
152-602503300-0004	CAD-10	10.000 kg (16m cable)	600
152-602503500-0004	CAD-20	20.000 kg (16m cable)	600
152-602503700-0004	CAD-30	30.000 kg (16m cable)	600

Stainless Steel, IP68 protection. 40 euros is added for Ex-Proof difference. Cable is not included to price for CAD serial connection.

ESIT Cables for CAD-C

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	DESCRIPTION	CAPACITY	PRICE
151-06000007-0203	Digital load cell termination resistance	1 pcs	15
150-011800000-0355	PUR CABLE M12 5Pin Right Angle Connector	3.5m	25
150-011800000-0356	PUR CABLE M12 5Pin Right Angle Connector	4.5m	30
150-011800000-0357	PUR CABLE M12 5Pin Right Angle Connector	6.5m	40
150-06000007-0198	PUR CABLE M12 5Pin Right Angle Connector	25m	90



(ATEX)



ESIT HSCD Compression Digital Load Cell

SALES MATERIAL NO			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-601103800-0003	HSCD-40	40.000 kg	780
152-601103900-0003	HSCD-60	60.000 kg	780

Digital, Steel, IP68 protection. 40 euros is added for Ex-Proof difference. 100 euros is added for C4 class. 40 euros is added for serial connection.


ТЕНЗОДАТЧИКИ



ESIT CA Compression Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-062503300-0003	CA-10	10.000 kg	370
152-062503500-0003	CA-20	20.000 kg	370
152-062503600-0003	CA-25	25.000 kg	370
152-062503300-0113	CA-10	10.000 kg (16m cable)	370
152-062503500-0113	CA-20	20.000 kg (16m cable)	370
152-062503600-0113	CA-25	25.000 kg (16m cable)	370

Stainless steel, IP68 protection. 40 euros is added for Ex-Proof difference. 30 euros is added for C4 class.



ESIT SC Compression Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-061003300-0003	SC-10	10.000 kg	290
152-061003500-0003	SC-20	20.000 kg	290
152-061003300-0113	SC-10	10.000 kg (16m cable)	290
152-161003500-0113	SC-20	20.000 kg (16m cable)	290

Steel, IP68 protection. 40 euros is added for Ex-Proof difference. 30 euros is added for C4 class.



ESIT CD Compression Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-063000000-0000	CD-25	25.000 kg	300
152-063003700-0001	CD-30	30.000 kg	300
152-063003800-0001	CD-40	40.000 kg	330
152-063003600-0113	CD-25	25.000 kg (16m cable)	300
152-063003700-0113	CD-30	30.000 kg (16m cable)	300
152-063003800-0113	CD-40	40.000 kg (16m cable)	330


Stainless Steel, IP68 protection. 30 euros is added for C4 class.



ESIT CA-V compression threaded load cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-062503300-0013	CA-10-V	10.000 kg	390
152-062503500-0013	CA-20-V	20.000 kg	390
152-062503600-0013	CA-25-V	25.000 kg	390
152-062503300-0213	CA-10-V	10.000 kg (16m cable length)	390
152-062503500-0213	CA-20-V	20.000 kg (16m cable length)	390
152-062503600-0213	CA-25-V	25.000 kg (16m cable length)	390


Stainless steel, IP68 protection. 40 euros is added for Ex-Proof difference. 30 euros is added for C4 class.



ESIT SC-V compression threaded load cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-061003300-0013	SC-10-V	10.000 kg	310
152-061003500-0013	SC-20-V	20.000 kg	310
152-061003300-0213	SC-10-V	10.000 kg (16m cable length)	310
152-061003500-0213	SC-20-V	20.000 kg (16m cable length)	310

Steel, IP68 protection. 40 euros is added for Ex-Proof difference. 30 euros is added for C4 class.



ESIT HSC Compression Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-061103800-0003	HSC-40	40.000 kg	620
152-061103900-0003	HSC-60	60.000 kg	620
152-061104000-0003	HSC-100	100.000 kg	670

Steel, IP68 protection. 40 euros is added for Ex-Proof difference. 100 euros is added for C4 class.



ESIT HSC-V Compression Threaded Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	C3
152-061103800-0013	HSC-40-V	40.000 kg	670
152-061103900-0013	HSC-60-V	60.000 kg	670
152-061104000-0013	HSC-100-V	100.000 kg	720
152-061104100-0013	HSC-200-V	200.000 kg	2.900

Steel, IP68 protection. 40 euros is added for Ex-Proof difference.

ТЕНЗОДАТЧИКИ

ESIT HC Compression Type Force Sensor Load Cells

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061204100-0000	HC-200	2 MN (200 t)	600
152-061204900-0000	HC-400	4 MN (400 t)	900
152-061205000-0000	HC-500	5 MN (500 t)	900
152-061205200-0000	HC-700	7 MN (700 t)	1300

Used in test devices, weight and force measuring. IP65 protection, steel.



ESIT Compression Type Force Sensor Load Cells

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
Please Ask	HC-E3MN	3 MN (300t)	770

Used in test devices, weight and force measuring. IP65 protection, steel.

ESIT Roller Tension Type Force Sensor Load Cells

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061301300-0000	PFT-1kN	1kN (100 kg) Steel	260
152-061300900-0000	PFT-S 50	500N (50 kg) Stainless Steel	340
152-061301200-0000	PFT-S 100	1kN (100 kg) Stainless Steel	340
152-061301600-0000	PFT-S 200	2kN (200 kg) Stainless Steel	340
152-061304500-0001	PFT-60T	600kN (60t) Stainless Steel	8.500

Roller tension sensor is mounted to cylinder shaft to measure the force on the shaft. IP65 protection.

ESIT DSB Double Ended Shear Beam Load Cells

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061403400-0000	DSB-15	15.000 kg	600
152-061404000-0001	HTDSB-150	150.000 kg	3.100

Used in axle weighing, onboard weighing and tank weighing systems. IP68 protection, steel.



ESIT PLC Pin Type Load Cells

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061502800-0000	PLC-2	2.000 kg	250
152-061503000-0000	PLC-5	5.000 kg	260
152-061503300-0000	PLC-10	10.000 kg	320
152-061503400-0000	PLC-15*	15.000 kg	320
152-061503500-0000	PLC-20*	20.000 kg	360
152-061503700-0000	PLC-30	30.000 kg	420
152-061503900-0000	PLC-60	60.000 kg	520

Pin load cell is mounted to the balance barrel of crane systems to control the load. IP68 protection, steel.* Single slot



ESIT WTB Cable Tension Type Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061602900-0000	WTB-4500	4.500 kg	370

Mounted to stationary ropes of elevators and cranes to prevent over-load. Mounting kit is included. (3-4m steel rope, 5-11mm steel rope, 9-16mm steel rope.) IP68 protection, stainless steel.



ESIT CRLC Tension Type Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-061703500-0000	CRLC-20	20.000 kg	550

Works with the tension force basis. Used in crane systems for weight measuring and over-load control, has safety plaques. IP66 protection, steel.



ESIT CTD Tension Type Load Cell

			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
152-064603300-0001	CTD-10	10.000 kg	500
152-0600-191200-001	CTD-20	20.000 kg	500

Works with the tension force basis. Used in crane systems for weight measuring and over-load control, has safety plaques. IP66 protection, steel.



ESIT SENS II Bonding Type Load Cell


			PRICE
SALES MATERIAL NO	TYPE	CAPACITY	
Please Ask	SENS II	100 kg	260

Used in bonding to steel body units. For the purpose of overload or tank level control. IP54 protection, steel.




УЗЛЫ ВСТРОЙКИ

ESIT BB Mounting Kits




SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-030100200-0001	BB ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	80
152-030100200-0004	BB ELT-I	ELASTOMER MOUNTING KIT INOX	170
152-030100100-0001	BB HA	HANG TYPE MOUNTING KIT	70
152-030100300-0001	BB RM-G	ROCKER MOUNTING KIT GALVANIZED	70
152-030100300-0003	BB RM-I	ROCKER MOUNTING KIT INOX	95
152-030100300-0002	BB RMV-G	THREADED ROCKER M. KIT GALVANIZED	75
152-030100300-0004	BB RMV-I	THREADED ROCKER MOUNTING KIT INOX	85
152-030100300-0007	BB RMV-EL-G	ELASTOMER ROCKER M. K. GALVANIZED	85
152-030100300-0008	BB RMV-EL-I	ELASTOMER ROCKER MOUNTING KIT INOX	120

ESIT BS Mounting Kits



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-030200200-0001	BS ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	110
152-030200200-0004	BS ELT-I	ELASTOMER MOUNTING KIT INOX	180
152-030200400-0001	BS PL	ADJUSTABLE MOUNTING KIT	100
152-030200500-0001	BS TM-G	TANK MOUNTING KIT GALVANIZED	90
152-030200500-0002	BS TM-I	TANK MOUNTING KIT INOX	170
152-030200300-0002	BS RM-G	ROCKER MOUNTING KIT GALVANIZED	90
152-030200300-0003	BS RM-I	ROCKER MOUNTING KIT INOX	150
152-030200300-0001	BS RMV-G	THREADED ROCKER M. KIT GALVANIZED	95
152-030200300-0004	BS RMV-I	THREADED ROCKER MOUNTING KIT INOX	150
Please Ask	BS RMV-EL-G	ELASTOMER ROCKER M. KIT GALVANIZED	125
Please Ask	BS RMV-EL-I	ELASTOMER ROCKER MOUNTING KIT INOX	170

ESIT SBS Mounting Kits



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
Please Ask	SBS HA 1-2T	SBS HA 1-2T HANG TYPE MOUNTING KIT	120
152-030300200-0001	SBS ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	120
152-030300200-0004	SBS ELT-I	ELASTOMER MOUNTING KIT INOX	180
152-030300400-0001	SBS PL	ADJUSTABLE MOUNTING KIT	120
152-030300500-0001	SBS TM-G	TANK MOUNTING KIT GALVANIZED	110
152-030300500-0004	SBS TM-I	TANK MOUNTING KIT INOX	160
152-030300300-0001	SBS RM-G	ROCKER MOUNTING KIT GALVANIZED	90
152-030300300-0003	SBS RM-I	ROCKER MOUNTING KIT INOX	150
152-030300300-0004	SBS RMV-G	THREADED ROCKER M. KIT GALVANIZED	95
152-030300300-0005	SBS RMV-I	THREADED ROCKER MOUNTING KIT INOX	150
Please Ask	SBS RMV-EL-G	ELASTOMER ROCKER M. KIT GALVANIZED	130
Please Ask	SBS RMV-EL-I	ELASTOMER ROCKER MOUNTING KIT INOX	170

УЗЛЫВСТРОЙКИ

ESIT SSB Mounting Kits



SSB ELT



SSB TM

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-030300100-0002	SSB HA 1-2T	SSB HA 1-2T HANG TYPE MOUNTING KIT	130
152-030400200-0001	SSB 1-2T ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	130
152-030400200-0010	SSB 1-2T ELT-I	ELASTOMER MOUNTING KIT INOX	190
152-030400500-0001	SSB 1-2T TM-G	TANK MOUNTING KIT GALVANIZED	130
152-030400500-0005	SSB 1-2T TM-I	TANK MOUNTING KIT INOX	190
152-030300100-0003	SSB HA 5T	SSB HA 1-2T HANG TYP MOUNTING KIT	170
152-030400200-0002	SSB 5T ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	150
152-030400200-0011	SSB 5T ELT-I	ELASTOMER MOUNTING KIT INOX	260
152-030400500-0002	SSB 5T TM-G	TANK MOUNTING KIT GALVANIZED	160
152-030400500-0006	SSB 5T TM-I	TANK MOUNTING KIT INOX	240
152-030400200-0003	SSB 10T ELT-G	ELASTOMER MOUNTING KIT GALVANIZED	240
152-030400200-0012	SSB 10T ELT-I	ELASTOMER MOUNTING KIT INOX	470
152-030400500-0004	SSB 10T TM-G	TANK MOUNTING KIT GALVANIZED	210
152-030400500-0003	SSB 10T TM-I	TANK MOUNTING KIT INOX	440
Please Ask	SSB 1-2 RM-G	ROCKER MOUNTING KIT GALVANIZED	120
Please Ask	SSB 1-2T RM-I	ROCKER MOUNTING KIT INOX	170
152-030400300-0008	SSB 1-2T RMV-G	ROCKER MOUNTING KIT GALVANIZED	120
152-030400300-0009	SSB 1-2T RMV-I	ROCKER MOUNTING KIT INOX	160
152-030400300-0004	SSB 1-2T RMV-EL-G	THREADED ROCKER MOUNTING KIT GALVANIZED	150
152-030400300-0005	SSB 1-2T RMV-EL-I	THREADED ROCKER MOUNTING KIT INOX	190
152-030400300-0006	SSB 5T RMV-G	THREADED ROCKER MOUNTING KIT GALVANIZED	120
152-030400300-0007	SSB 5T RMV-I	THREADED ROCKER MOUNTING KIT INOX	170
152-030400300-0002	SSB 5T RMV-EL-G	ELASTOMER ROCKER MOUNTING KIT GALVANIZED	160
152-030400300-0003	SSB 5T RMV-EL-I	ELASTOMER ROCKER MOUNTING KIT INOX	200
Please Ask	SSB 10T RMV-G	BOTTOM-TOP PLATE MOUNTING KIT GALVANIZED	440
Please Ask	SSB 10T RMV-I	BOTTOM-TOP PLATE MOUNTING KIT INOX	830

ESIT STCS Mounting Kits



STCS HA

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-030700100-0004	STCS HA	HANG TYPE MOUNTING KIT	150


ESIT TB Mounting Kits



TB HA

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-031900100-0001	TB HA	HANG TYPE MOUNTING KIT	150
Please Ask	TB 3T HA	3T HANG TYPE MOUNTING KIT	170
152-031900100-0002	TB 5T HA	5T HANG TYPE MOUNTING KIT	190

ESIT HC Mounting Kits



HC-TM

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-031200500-0001	HC TM	TANK MOUNTING KIT	870

УЗЛЫ ВСТРОЙКИ

ESIT SC/CA Mounting Kits



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-031000600-0001	SC EL	ELASTOMER MOUNTING KIT	155
152-031000600-0007	SC EL ALT	ELASTOMER MOUNTING KIT BOTTOM PART	100
152-031000600-0008	SC EL UST	ELASTOMER MOUNTING KIT TOP PART	45
152-031000600-0019	CA EL	ELASTOMER MOUNTING KIT	440
152-031000200-0001	SC ELT	ELASTOMER TANK MOUNTING KIT	410
Please Ask	SC ELT-G	ELASTOMER TANK MOUNTING KIT	470
Please Ask	CA ELT	ELASTOMER TANK MOUNTING KIT	710
152-031000500-0001	SC TM	TANK MOUNTING KIT	160
152-031000500-0010	CA TM	TANK MOUNTING KIT INOX	430
152-030000200-0001	SC EL TM	10-20T TANK MOUNTING KIT	190
152-030000200-0002	CA EL TM	10-20T TANK MOUNTING KIT INOX	470
Please Ask	SC RMV TM	THREADED ROCKER TANK MOUNTING KIT	190



ESIT CD Mounting Kits

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-033000606-0001	CD RM	ROCKER MOUNTING KIT	130
152-033000606-0002	CD TM	TANK MOUNTING KIT	170

ESIT HSC Mounting Kits



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-031100600-0001	HSC EL	ELASTOMER MOUNTING KIT	430
152-031100600-0002	HSC EL ALT	ELASTOMER MOUNTING KIT BOTTOM PART	295
152-031100600-0003	HSC EL UST	ELASTOMER MOUNTING KIT TOP PART	160
152-031100200-0001	HSC ELT	ELASTOMER TANK MOUNTING KIT	1250
152-031100500-0001	HSC TM	TANK MOUNTING KIT	330
152-031100500-0005	HSC 200 TM	MOUNTING KIT 200T	1.300

ESIT RT Tension Rod



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-030000700-0001	RT-05-2	5-2T TENSION ROD	70
152-030000700-0002	RT-3-10	3-10T TENSION ROD	110
152-030000700-0003	RT-20-40	20-40T TENSION ROD	170
152-030000700-0004	RT-60-100	60-100T TENSION ROD	200
Please Ask	RT-3-10-I	3-10T INOX TENSION ROD	170
Please Ask	RT-20-40-I	20-40T INOX TENSION ROD	260

ESIT ET Fixed Bearings



SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-030401000-0001	SSB 5T ELT ET	5T ELT FIXED BEARING	110
152-030401000-0002	SSB 5T TM ET	5T TM FIXED BEARING	105
152-030401000-0003	SSB 10T ELT ET	10T ELT FIXED BEARING	130
152-030401100-0002	SSB 10T TM ET	10T TM FIXED BEARING	120
152-031001000-0001	SC ELT ET	SC ELT FIXED BEARING	140
152-031001100-0001	SC TM ET	SC TM FIXED BEARING	135
152-032501103-0001	CA TM ET	CA TM FIXED BEARING INOX	210
152-031101000-0001	HSC ELT ET	HSC ELT FIXED BEARING	210
152-031101000-0002	HSC TM ET	HSC TM FIXED BEARING	190



EU TYPE APPROVAL



ART / ART-S

Designed as an indicator for electronic weighing scales. ART has double displays, one for weight data the other for operator messages. It can be used as table top or it can be mounted on column. Real time clock, material coding, piece counting and operation language selection features are available. Possesses CE and OIML R76 certificates.

ESIT ART Indicators

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-010200000-0001	ART	Indicator	290
152-010300000-0001	ART-S	Stainless Steel Indicator	540
Standard outputs: Parallel, Remote Display, RS232			

ESIT ART/ART-S Indicator Options

SALES MATERIAL NO	TYPE	DESCRIPTION	OUTPUTS	PRICE
152-010200400-0001	ART	Indicator	RS 485 SERIAL OUTPUT	OPT
152-010200200-0001	ART	Indicator	RS 422 SERIAL OUTPUT	50
152-010300400-0001	ART-S	Indicator	RS 485 SERIAL OUTPUT	OPT
152-010300200-0001	ART-S	Indicator	RS 422 SERIAL OUTPUT	50
152-010300000-0001	ART/ART-S	Indicator	220V Power	STD
152-010200000-0001	ART/ART-S	Indicator	12V Power	OPT

ESIT WSI Stainless Steel Indicators

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-010000000-0008	WSI	Stainless Steel Indicator	260
152-010000000-0009	WSI	Stainless Steel Indicator Bluetooth	270
Internal battery is included. RS232			

ESIT LCA-D Load Cell Amplifier

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-010604800-0001	LCA-D	2 RELAY+ANALOG OUTPUT	260
Standard outputs: RS232/RS485, 2 relay, 4-20mA Analog Output			

ESIT LCA-X Load Cell Amplifier

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-010700000-0001	LCA-X	Load Cell Amplifier	200
152-010704800-0001	LCA-X	2 RELAY+ANALOG OUTPUT	240
Standard outputs: RS232/RS485			

ESIT LCA-D / LCA-X Setting Software for PC

SALES MATERIAL NO	TYPE	SOFTWARES	PRICE
Please Ask	LCA-D / LCA-X	DLMS-FS FIRMSET	0
Please Ask	LCA-D / LCA-X	DLMS-VP VIRTUAL PANEL	100
Please Ask	LCA-D / LCA-X	NETWORK PANEL	200

ESIT TR Load Cell Transmitter

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-012200000-0001	TR3	Load Cell Transmitter	180
Standard outputs: Analog, 1 Relay			



LCA-D
LCA amplifiers are designed for fast, accurate and high sensitive weight, force and pressure measurements especially in harsh industrial environments. All parameters can be accessed from a remote point using its MODBUS protocol. There is also a Windows based PC software for LCA indicators. Possesses CE and OIML R76 certificates.



LCA-X
LCA-X is the keypad and display less version of LCA-D.

TR3
Load Cell transmitter.

EU TYPE APPROVAL



EU TYPE APPROVAL



ECI Weighing and Recipe Indicator. Recipe and filling program installed. 12-36VDC or 12-24 VAC power is required 220VAC adaptor is not included in the price, sold separately.

ESIT ECI Panel Type Indicator and Control Device

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-013300000-0031	ECI	Indicator	310
152-013300000-0032	ECI-BA	Indicator Recipe prg, 2 cards with 4 relays	410
152-013300000-0033	ECI-HS	Indicator Hopper prg, 1 card with 4 relays	410
152-013300000-0034	ECI-BF	Indicator Filling prg, 1 card with 4 relays	380
152-013300000-0035	ECI-CW	Dynamic Ind. Checkweigher prg, 1 card with 4 relays	680
152-013300000-0038	ECI-Digital M	Panel Type Ind. for Modbus Connection Digital Load Cell	410
152-013300000-0039	ECI-Digital C	Panel Type Ind. for Canbus Connection Digital Load Cell	410

Standard outputs: Remote Display, RS232. Adaptor is not included.

ESIT ECI Indicator Stainless Steel Housing

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
151-013300412-0001	ECI Desktop	Desktop Type Stainless Steel Housing	150
151-013300412-0002	ECI Wall Mount	Column and Wall Mount Type Stainless Steel Housing	150

Adaptor is included.

ESIT ECI-EX Ex-Proof Indicator and Control Device

			PRICE
SALES MATERIAL NO	TYPE	DESCRIPTION	
152-013500000-0001	ECI-EX	Ex-Proof Housed Indicator	1.950

Power unit is included.

ESIT ECI Communication Modules

			PRICE
SALES MATERIAL NO	TYPE	OUTPUTS	
152-013300000-0006	E-MDL-COM	RS232 / RS485 / RS422 (modbus)	140
152-013300000-0007	E-MDL-PRF	Profibus DP Slave	380
152-013300000-0008	E-MDL-CAN	CAN Open	380
152-013300000-0010	E-MDL-PRN	Profinet IO	380
152-013300000-0009	E-MDL-DVN	DeviceNet	380
152-013300000-0011	E-MDL-ETH	Ethernet IP Module	380

ESIT ECI Input-Output Modules

			PRICE
SALES MATERIAL NO	TYPE	OUTPUTS	
152-013300000-0002	E-MDL-RLY	Internal 4 Relay Card (2A 250V) & Digital 4 Input	140
152-013300000-0004	E-MDL-DAC	Analog 4-20 mA/0-10V Output (16 bit)	140

ESIT ECI Expansion Modules

			PRICE
SALES MATERIAL NO	TYPE	OUTPUTS	
152-013300000-0003	E-MDL-BCD	Binary Output (1+19 bit)	100
152-013300000-0005	E-MDL-EXP	EsRelay Connection Module (Digital 8 input & 16 output)	140



PWI-P
Designed for industrial applications mainly used in weight, force and pressure measurements. Can be used in all resistive bridge type systems. It is fast and accurate, it can work with 12-36 VDC and 12-24 VAC. The 220 V power adaptors are sold separately.

ESIT PWI-P Panel Indicator and Controller

SALES MATERIAL NO	TYPE	DESCRIPTION	OUTPUTS	PRICE
152-011400000-0003	PWI-P	Panel Indicator		250
152-011400800-0001	PWI-P	Panel Indicator	TRANSISTOR OUTPUT	290
152-011401600-0001	PWI-P	Panel Indicator	ANALOG OUTPUT	320
152-011402400-0001	PWI-P	Panel Indicator	TRANSISTOR+ANALOG OUT.	355
152-011403200-0001	PWI-P	Panel Indicator	2 RELAY OUTPUT	290
152-011406400-0001	PWI-P	Panel Indicator	BINARY OUTPUT	290
152-011408000-0001	PWI-P	Panel Indicator	BINARY+ANALOG OUTPUT	355

Standard outputs: Remote Display, RS232



EU TYPE APPROVAL

PWI-C
Designed to be used upright on electronic scales and other weighing devices. The unit comes with its power adaptor included.

ESIT PWI-D / PWI-C / PWI-P Options

TYPE	OUTPUTS	PRICE
PWI-D/PWI-C/PWI-P	RS 485 SERIAL OUTPUT	
PWI-D/PWI-C/PWI-P	RS 422 SERIAL OUTPUT	20
PWI-P	TRANSISTOR OUTPUT	50
PWI-P	2 RELAY OUTPUT	40
PWI-P	BINARY / BCD OUTPUT	50
PWI-P	ANALOG OUTPUT	80
PWI-P	TRANSISTOR+ANALOG OUTPUT	125
PWI-P	BCD+ANALOG OUTPUT	125



PWI-D
Designed to be used on the desktop with electronic scales and other weighing devices. The unit comes with its power adaptor included.

ESIT PWI-D Desktop Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-011100000-0001	PWI-D	Desktop Indicator	240

Standard outputs: Remote Display, RS232

ESIT PWI-C Column Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-011000000-0001	PWI-C	Column Indicator	240

Standard outputs: Remote Display, RS232



Ethernet +

Ethernet Cloud

ESIT Ethernet Communication Devices

SALES MATERIAL NO	TYPE	OUTPUTS	PRICE
152-010000000-0006	Ethernet +	Cloud communication device through indicator serial port	370
152-010000000-0007	Ethernet 3+	Cloud communication device through indicator serial port	410
152-010000000-0005	Ethernet Plus	Converts indicator serial port to TCP/IP ethernet	370



WiFi+
Wireless Communication Device

ESIT WiFi+

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-013000000-0001	WiFi 2	2 lines Wireless Communication Device	280
152-013000000-0004	WiFi 4	4 lines Wireless Communication Device	420
152-013000000-0002	AP	Module	200
152-013000000-0003	ED	Module	150



PWI-S
Designed to be used in chemical and nutriment industries where hygiene and corrosion resistance is important. Used in tank level measurements, mixer and reactor container weighing and packaging systems.



(ATEX)



PWI-EX
With its aluminum housing PWI-E ex-proof indicator is used safely where easily flammable chemicals are present. Zener barrier is included.



PWI-F
PWI-F is designed to be a controller for bag filling systems. It has built in relay outputs. Its case can be mounted on a wall or can be used as desk top model. The stainless steel case is resistive to water, dust and mechanical shocks.

ESIT PWI-S Stainless Steel Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	OUTPUTS	PRICE
152-011500000-0002	PWI-S	Stainless Steel Indicator		420
152-011500800-0001	PWI-S	Stainless Steel Indicator	TRANSISTOR OUTPUT	450
152-011501600-0001	PWI-S	Stainless Steel Indicator	ANALOG OUTPUT	490
152-011502400-0001	PWI-S	Stainless Steel Indicator	TRANSISTOR+ANALOG OUT.	535
152-011503200-0001	PWI-S	Stainless Steel Indicator	2 RELAY OUTPUT	450
152-011506400-0001	PWI-S	Stainless Steel Indicator	BINARY OUTPUT	460
152-011508000-0001	PWI-S	Stainless Steel Indicator	BINARY+ANALOG OUTPUT	525

Standard outputs: Remote Display, RS232

ESIT PWI-Ex Ex-Proof Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	OUTPUTS	PRICE
152-111200000-0002	PWI-EX	Ex-Proof Indicator		1.900
152-111200800-0001	PWI-EX	Ex-Proof Indicator	TRANSISTOR OUTPUT	1.950
152-111201600-0001	PWI-EX	Ex-Proof Indicator	ANALOG OUTPUT	1.980
152-111202400-0001	PWI-EX	Ex-Proof Indicator	TRANSISTOR+ANALOG OUT.	2.000
152-111203200-0001	PWI-EX	Ex-Proof Indicator	2 RELAY OUTPUT	1.940
152-111206400-0001	PWI-EX	Ex-Proof Indicator	BINARY OUTPUT	1.950
152-111208000-0001	PWI-EX	Ex-Proof Indicator	BINARY+ANALOG OUTPUT	1.880

Standard outputs: Remote Display

ESIT PWI-FILL Stainless Steel Filling Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	OUTPUTS	PRICE
152-011300800-0001	PWI-F	Filling Indicator		600
152-011302400-0001	PWI-F	Filling Indicator	ANALOG OUTPUT	660

Standard outputs: Remote Display, RS232, Transistor, 4 Set Relay

ESIT PWI-S / PWI-E / PWI-F Options

SALES MATERIAL NO	TYPE	OUTPUTS	PRICE
152-111209000-0001	PWI-E	RS 232 SERIAL OUTPUT	30
S-152-011500400-0001 / E-152-111200400-0001		RS 485 SERIAL OUTPUT	30
S-152-011500200-0001 / E-152-111200200-0001		RS 422 SERIAL OUTPUT	30
S-152-011500800-0001 / E-152-111200800-0001		BINARY / BCD OUTPUT	60
S-152-011503200-0001 / E-152-111203200-0001		TRANSISTOR OUTPUT	60
S-152-011506400-0001 / E-152-111206400-0001		ANALOG OUTPUT	100
S-152-011502400-0001 / E-152-111202400-0001		2 RELAY OUTPUT	50
S-152-011508000-0001 / E-152-111208000-0001		TRANSISTOR+ANALOG OUTPUT	170
S-152-011501600-0001 / E-152-111201600-0001 / F-152-011302400-0001		BCD+ANALOG OUTPUT	170

ESIT PWI-P / PWI-S / PWI-E / PWI-F Softwares

SALES MATERIAL NO	TYPE	SOFTWARES	PRICE
Please Ask	PWI-S / PWI-E	Standard	70
Please Ask	PWI-S / PWI-E	Truck Scale	150
Please Ask	PWI-S / PWI-E	Peak Hold	250
Please Ask	PWI-S / PWI-E / PWI-F	Feeder	250
Please Ask	PWI-S / PWI-E / PWI-F	Filling	250
Please Ask	PWI-S / PWI-E / PWI-F	Axle	250



PWI-T
Used in electronic vehicle scales. It offers possibility to enter alphabetic entries and generate statistical reports. It can be connected to a printer and a computer.

ESIT PWI-T Desktop Weighing Terminal

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-011600000-0001	PWI-T	Desktop Weighing Terminal	900
Standard options: Remote Display, RS232, Parallel			

ESIT PWI-X Desktop Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-011800000-0001	PWI-X	Desktop Indicator	550
152-011900000-0001	PWI-X2	2 Input Desktop Indicator	800
Standard options: Remote Display, RS232			



PWI-X
Produced to work together with computers in electronic vehicle scales.

ESIT PWI-T / PWI-X Options

SALES MATERIAL NO	TYPE	OUTPUTS	PRICE
152-011800400-0001	PWI-T / PWI-X	RS 485 SERIAL OUTPUT	40
Please Ask	PWI-T / PWI-X	RS 422 SERIAL OUTPUT	40

ESIT PWI-T / PWI-X Programları

SALES MATERIAL NO	TYPE	OUTPUTS	PRICE
Please Ask	PWI-T / PWI-X	Standard	0
Please Ask	PWI-T / PWI-X	Truck Scale	0



SMART-P
Small indicator with 1/1000 accuracy. Designed to be used in crane and elevator over load control applications. It is also a low cost solution to many applications thanks to it's built in 3 relay and 4-20mA analog outputs.

ESIT SMART-P Panel Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-012600000-0001	SMART-P	3 SET RELAY + ANALOG OUTPUT	200
Standard options: RS232, 3 Set Relay			



SMART-2
Small indicator with 1/10000 accuracy. Designed to be used both for overload control in cranes and elevators, and high accuracy weighing such as tank weighing. It is also a low cost solution to many applications thanks to it's built in 2 relay and connectivity options such as RS485 output, wi-fi and bluetooth.

ESIT SMART-2 Multi Functional Weighing Indicator

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-014300000-0001	SMART-2	Wifi	220
152-014300000-0002	SMART-2	Bluetooth	240
152-014300400-0001	SMART-2	Wifi + RS485	250
152-014300400-0002	SMART-2	Bluetooth + RS485	260
Standard options: Modbus, 2 Set Relay, Analog Output			



ESIT RD
Bright red LED display to see the weight from a distance.



ESIT RD Remote Display

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-020100800-0001	RD-20	20mm Remote Display	290
152-020100900-0001	RD-57	57mm Remote Display	380
152-020100900-0003	WRD-57	57mm Remote Display	570
152-020101000-0001	RD-102	102mm Remote Display	520
152-020101100-0001	RD-210	210mm Remote Display	1170

Standard: 15m cable, adaptor is included.

ESIT Ex-Proof RD Remote Display


SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-120100800-0001	RD-20 EX	20 mm Remote Display Ex Box	700
152-120100900-0001	RD-57 EX	57 mm Remote Display Ex Box	930

Standard: 15m cable

ESIT RDA Message Panel

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-020100900-0004	RDA-60	RDA-60 Message Panel	490
152-020103800-0001	RDA-100	RDA-100 Message Panel	600
152-020100900-0003	RDA-150	RDA-150 Message Panel	820
152-020103800-0002	RDA-180	RDA-180 Message Panel	990
152-020103800-0006	RDA-200	RDA-200 Message Panel	1170

Standard: 15m cable, power unit included.



ESIT-J
It is lightning protected, resistant to water, aluminum cast housed.



(ATEX)



ESIT-J
It is lightning protected, resistant to water, aluminum cast and Ex-proof housed.

ESIT J Junction Box

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-020201200-0001	J-1	1 Input Junction Box	110
152-020201300-0001	J-2	2 Input Junction Box	110
152-020201300-0001	J-3	3 Input Junction Box	115
152-020201500-0001	J-4	4 Input Junction Box	115
152-020201600-0001	J-5	5 Input Junction Box	120
152-020201700-0001	J-6	6 Input Junction Box	120
152-020201800-0001	J-8	8 Input Junction Box	130
152-020201900-0001	J-10	10 Input Junction Box	130

30 euros is added for digital load cell.

ESIT J Ex-Proof junction box

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
152-120201200-0002	J-1-EX	1 Input Ex-proof Junction Box	440
152-120201300-0002	J-2-EX	2 Input Ex-proof Junction Box	440
152-120201400-0002	J-3-EX	3 Input Ex-proof Junction Box	450
152-120201500-0002	J-4-EX	4 Input Ex-proof Junction Box	450
152-120201600-0002	J-5-EX	5 Input Ex-proof Junction Box	470
152-120201700-0002	J-6-EX	6 Input Ex-proof Junction Box	470
152-120201800-0002	J-8-EX	8 Input Ex-proof Junction Box	480
Sorunuz	J-10-EX	10 Input Ex-proof Junction Box	470

30 euros is added for digital load cell.

ESIT EC Load Cell Cables

SALES MATERIAL NO	TYPE	DESCRIPTION	PRICE
150-011800000-0066	ES-450 VCT	4x0,50 Transparent PVC Cable (m)	2.00
150-011800000-0065	EC-634 PUR	6x0,34 Polyurethane Cable (m)	2.50
150-011800000-0045	EC-450 PUR	4x0,50 Polyurethane Cable (m)	3.10
150-011800000-0064	EC-422 PUR	4x0,22 Polyurethane Cable (m)	1.60
150-011800000-0013	EC-634 VCN	6x0,34 PVC Cable (m)	1.85
150-011800000-0014	EC-450 VCN	4x0,50 PVC Cable (m)	1.75
150-011800000-0015	EC-422 VCN	4x0,22 PVC Cable (m)	1.35

